

Certificate of Product Approval

Certificate Number: 1034a

Issue: 03

R & D Sheetmetal Limited

Unit 1A, Victoria Court
 Colliers Way
 Clayton West
 Huddersfield
 West Yorkshire
 HD8 9TR

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

**Security Evo III,
 Security Evo IV,
 Security Evo V and
 Security Evo VI**
 modular security enclosures

Standard

LPS 1175: Issue 7
 Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
 Verifier

13 March 2014
 Date of Issue

24 March 2011
 Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX
 T: +44 (0)1923 664100 F: +44 (0)1923 664603 E: enquiries@breglobal.com



Appendix to Certificate No: 1034a R & D Sheetmetal Limited

Issue: 03

Modular Security Enclosures

Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
Security Evo IV	Enclosure formed from four sides and a ceiling	1.9	2.7	1.1	Unlimited	0.8	Unlimited	4	1034a/01
Security Evo V	Enclosure formed from four sides and a ceiling	1.9	2.7	1.1	Unlimited	0.8	Unlimited	5	1034a/02
Security Evo VI	Enclosure formed from four sides and a ceiling	1.9	2.7	1.1	Unlimited	0.8	Unlimited	6	1034a/03
Security Evo III	Enclosure formed from four sides and a ceiling	1.9	2.7	1.1	Unlimited	0.8	Unlimited	3	1034a/04

System Components

Component	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)
Wall panel	Wall panel	1.80	2.35	0.25	1.10	N/A	N/A
Roof panel	Single roof panel	0.10	0.35	1.10	2.40	0.80	1.05
	End roof panel	0.10	0.35	1.10	2.75	0.25	1.35
	Corner roof panel	0.10	0.35	1.10	2.75	0.25	1.35
	Side roof panel	0.10	0.35	1.10	2.85	0.25	1.25
	Mid roof panel	0.05	0.35	1.10	2.85	0.25	1.35
Corner post	Corner post	1.80	2.35	0.10	0.35	N/A	N/A
Doorsets ¹	Single or double leaf outward opening doorset	Refer to Security Evo doorset range (LPCB Ref. No. 1034b) for scope of approval.					

Notes:

1. Certification does not cover the use of locks other than those listed for use with the relevant R&D Sheetmetal Limited doorset. Utilisation of unlisted locks may affect the level of security offered by the doorset fitted to the enclosure.
2. The enclosure's resistance relies on the supporting substrate offering compatible resistance to manual attack.
3. The Security Evo enclosure system is approved when installed in accordance with the instructions detailed on document EVO-INST-01 (Issue 4) and the general arrangement drawings supplied with the product.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for LPCB

Paul Dillon
Verifier

13 March 2014
Date of Issue

24 March 2011
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)1923 664100 F: +44 (0)1923 664603 E: Enquiries@breglobal.com

